


VOLA T10, T10JR

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage



www.vola.com


mnt_T10, T10JR_V1_40999037
06-09-2022

vola





5 703182 402345

T10: 0.50 liter



T10JR: 0.25 liter



Liquid soap
Cremeseife
Cremesæbe


Cremetvål
Crème zeep
Savon crème

pH Neutral:
pH Neutral:
pH Neutral:
pH Neutral:
pH Neutraal:
pH Neutre:

4.5 - 7.5

Viscosity:
Viskosität:
Viskositet:
Viskositet:
Viscositeit:
Viscosité:

ca. 1500 - 2000 cP/mPa s - 20°C




Operating
Bedienung
Betjening

Bruk
Bedienung
Emploi




Maintenance
Pflege
Vedligeholdelse

Skötsel
Verpleging
Entretien




Max 70°C
Max 158°F




VR755 & VR777
Service



777





755



T10

T10JR



VR728: VR728, VR782, VR797



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
Fax: + 45 7023 5511
sales@vola.com
www.vola.com

VOLA T10, T10JR

Date
Jun. 17

Rev.
6

Sheet
SB 42